

TRESPA



# MORE THAN 55 YEARS OF RESEARCH, TECHNOLOGY AND INNOVATION

Trespa International is a leading innovator in the field of architectural materials. Thanks to more than 55 years of global experience and product innovation, Trespa is recognised internationally as a premier developer of high-quality panels for scientific surface solutions.

TRESPA® TOPLAB®

# TRESPA® TOPLAB® PRODUCT LINES

The three TopLab® product lines, TopLab®PLUS, TopLab®VERTICAL and TopLab®BASE, are developed specifically for the most demanding functional and scientific applications and combine basic requirements like high durability and longlasting hygiene with an attractive and timeless palette of inspiring colours.

# TRESPA® TOPLAB®

For environments where hygiene, avoidance of contamination, sustainability, ergonomics and safety are of importance.



MANUFACTURED WITH TRESPA'S IN-HOUSE DEVELOPED EBC-TECHNOLOGY

IDEAL FOR A WIDE RANGE OF LABORATORIES, INCLUDING CHEMICAL, PHYSICAL AND ANALYTICAL LABORATORIES

EASY TO CLEAN AND EXCELLENT RESISTANCE TO MOST AGGRESSIVE CHEMICALS AND CLEANING AGENTS

DOES NOT SUPPORT BACTERIAL GROWTH



# TRESPA® TOPLAB® VERTICAL

For vertical applications in functional and laboratory environments.



MANUFACTURED WITH TRESPA'S IN-HOUSE DEVELOPED EBC-TECHNOLOGY

IDEAL FOR FUNCTIONAL CABINETRY AND INTEGRATED WALL SOLUTIONS, SPECIAL COVERING FOR MODULAR ELEMENTS, LINING OF FUME HOODS AND SPLASH BACKS

EASY TO CLEAN AND EXCELLENT RESISTANCE TO MOST AGGRESSIVE CHEMICALS AND CLEANING AGENTS

DOES NOT SUPPORT BACTERIAL GROWTH



# TRESPA® TOPLAB®

For educational, laboratory and institutional applications where impact resistance is of great importance whereas chemical resistance is not critical.



IDEAL FOR WORKTOPS AND CABINETRY WHERE SEVERE USE AND FREQUENT CLEANING IS EXPECTED

**EXCELLENT IMPACT RESISTANCE** 

NOT ADVERSELY AFFECTED BY MOISTURE



TRESPA® TOPLAB®

# THE IDEAL CHOICE FOR SAFE AND DURABLE SCIENTIFIC ENVIRONMENTS



Today's laboratory and functional environments demand compliance with rigorous codes and standards. Therefore, selecting the right material is of crucial importance. Whatever product from the Trespa® TopLab® line you choose, this high-pressure compact laminate, fabricated with natural fibres and thermosetting resins, will extend the lifetime of your laboratory worktops, cabinets and shelving noticeably.

#### 10-YEAR PRODUCT WARRANTY

The unique properties of Trespa® TopLab® panels make them highly durable. That is why Trespa offers a 10-year conditional warranty on its product lines. To learn more about our warranty, please visit *Trespa.info*.

### TESTING, CERTIFICATION AND BRANCH ASSOCIATIONS

Trespa® products for scientific surface solutions are tested and certified according to international standards in relation to chemical resistance, low emission, food contact and other properties. TopLab®PLUS, TopLab®VERTICAL and TopLab®BASE are certified under the

GREENGUARD Gold Certification program. Trespa International B.V. is a member of SEFA (Scientific Equipment and Furniture Association), EGNATON (European Association for Sustainable Laboratory Technologies) and VIP3000 (Association for Cleanrooms and Pharmaceutical Construction).









#### **USING RENEWABLE RESOURCES**

Trespa® TopLab®PLUS and VERTICAL are available with the Programme for the **Endorsement of Forest Certification** (PEFC<sup>™</sup>) or Forestry Stewardship Council™ (FSC™) certification upon request for restricted quantities and jurisdictions. The use of FSC™ and PEFC<sup>™</sup> certified Trespa® panels may also contribute to points associated with green building certification systems like LEED, BREEAM and DGNB. These certifications are one of the initiatives resulting from Trespa's Sustainability Policy, by which Trespa shows its commitment to the use of raw materials from sustainable origin and to forest preservation.







### DESIGN FLEXIBILITY

Trespa® TopLab® offers a range of classic, modern and trendsetting colours and is available in several thicknesses and sizes. The homogenous panels can be machined in the same way as high-quality hardwoods, making them easy to customise and install. TopLab® panels are available in large sizes, reducing unhygienic seams to a minimum.


The Trespa® TopLab®PLUS product line is enriched with the introduction of T70.0.0 Slate Grey with grey core. The new core provides greater design freedom, while maintaining Trespa® TopLab®PLUS inherent hygienic and chemical resistant properties.

Grey to the core with TopLab®PLUS Slate Grey












# ADVANCED TECHNOLOGY FOR EXCELLENT DURABILITY

In 2015, Trespa developed the next generation of its Electron Beam Curing (EBC) technology in-house, which gives Trespa® TopLab®PLUS and TopLab®VERTICAL its surface properties.

Electron Beam Curing is a fast, nonthermal curing method which uses high-energy electrons at a controlled rate to cure special surfaces. The result is a closed surface with excellent smoothness, cleanability and chemical resistance.









SPECKLE PASTEL GREY Base S0-015 SILVER GREY Base E0-02 Plus T03.4.0 Vertical K03.4.0 170 ....... WHITE Base E0-00 Plus T03.0.0 Vertical K03.0.0 PASTEL GREY/SILVER Plus D02.1.0 SPECKLE SILVER GREY Base 80-02 SPECKLE WHITE Base S0-00 PURE WHITE
NEW Plus T05.0.0 PASTEL GREY Base E0-015

Vertical K05.0.0

Plus T03.1.0 Vertical K03.1.0



POWDER BLUE Base E17-32 **NEW** Vertical K22.2.4



ICEY BLUE Base E25-01 AQUAMARINE Base E20-12

GLACIER BLUE Plus T21.1.1





# GET INSPIRED BY THE TRESPA® TOPLAB® COLLECTION

# TRESPA® TOPLAB®

c	OLOUR	CODE	NAME
NEW		T05.0.0	Pure White
		TO3.0.0	White
		T18.0.1	Mystic White
		T21.1.1	Glacier Blue
		TO3.1.0	Pastel Grey
07.403		D02.1.0	Pastel Grey/Silver
		T03.4.0	Silver Grey
		T70.0.0	Slate Grey
		T90.0.0	Black
_			

# TRESPA® TOPLAB® VERTICAL

COLOUR		CODE	NAME					
		K05.0.0	Pure White					
		K03.0.0	White					
*		K18.0.1	Mystic White					
		K03.1.0	Pastel Grey					
		K03.4.0	Silver Grey					
*		K70.0.0	Slate Grey					
		K90.0.0	Black					
NEW		K28.2.1	Aquamarine					
NEW		K22.2.4	Powder Blue					
NEW		K21.5.4	Cobalt Blue					
NEW		K37.0.8	Lime Green					
NEW		K04.0.5	Zinc Yellow					
NEW		K10.1.8	Red Orange					
NEW		K10.4.5	Sienna Brown					

\*coming soon

		THICKNESSES						SIZES		GRADE		FINISHES				
	SURFACE	CORE	6 mm (≈ 1/4 in)	8 mm (≈ 5/16 in)	10 mm (≈ 3/8 in)	13 mm (≈ 1/2 in)	16 mm (≈ 5/8 in)	19 mm (≈ 3/4 in)	20 mm (≈ 3/4 in)	25 mm (≈ 1 in)	2550 × 1860 mm (≈ 100 × 73 inch)	3050 × 1530 mm (≈ 120 × 60 inch)	Standard	Fire retardant	Satin	Crystal matt
TODIAD® DILIC	FDC	Black				•	•		•	•	•	•	•			<del>-</del>
TOPLAB® PLUS	EBC technology	Grey				•		•		•	•	•	•			□ G**
TOPLAB® VERTICAL	EBC technology	Black	•	•	•	•					•	•	•	•	- G <b>4</b>	
TOPLAB® BASE	Melamine	Black	•	•	•	•	•	•	•		•	•	•	•		4

\*\*only available in colour Slate Grey T70.0.0

## TRESPA® TOPLAB®

COLOUR	CODE	NAME
	EO-00	White
	SO-00	Speckle White
	EO-015	Pastel Grey
	SO-015	Speckle Pastel Grey
	E3-01	Sand
	S3-01	Speckle Sand
	E20-12	Aquamarine
	S20-12	Speckle Aquamarine
	EO-02	Silver Grey
	SO-02	Speckle Silver Grey
	E0-04	Mid Grey
NEW	SO-04	Speckle Mid Grey
NEW	E0-07	Slate Grey

COLOUR	CODE	NAME					
	E0-09	Black					
	C0-09	Black Craquele					
NEW	E17-82	Deep Blue					
NEW	S17-82	Speckle Deep Blue					
	E25-01	Icey Blue					
	S25-01	Speckle Icey Blue					
	E17-32	Powder Blue					
	S17-32	Speckle Powder Blue					
NEW	W20	Bleached Pine					
NEW	W71-03	Silver Maple					
NEW	W27	Denver Oak					
	W74-01	Oak					
NEW	W14	French Walnut					

SINGLE SIDED DECORATIVE

Decorative side with non decorative black reverse.

DOUBLE SIDED
DECORATIVE

Same colour for front and reverse side of the panel.

Different colour for front and reverse side of the panel.

DUOCOLOUR

**NOTE** Please consider that these images are only a digital representation of the actual product. For a real feel of the product, order a sample. To see all technical information, please visit *Trespa.info*.

TRESPA.COM

21

TRESPA® TOPLAB®

### **AWARD WINNING** TRESPA® TOPLAB® **PROJECTS**

Trespa® TopLab® products are installed all around the globe. Thanks to their outstanding quality and innovative design, several laboratories where TopLab\* was applied were awarded in the most recent editions of the prestigious R&D Lab of the Year Competition.

2012

2015

2016

ALLEN INSTITUTE

2017

KING ABDULLAH & TECHNOLOGY


2011

UNIVERSITY

FOR SCIENCE

WISCONSIN INSTITUTES FOR DISCOVERY South Australian HEALTH & MEDICAL research institute

THE FRANCIS CRICK INSTITUTE



### CONTACT US

#### TRESPA INTERNATIONAL B.V.

P.O. Box 110, 6000 AC Weert Wetering 20, 6002 SM Weert The Netherlands www.trespa.com

Tel: +31 (0) 495 458 344 Info.TopLab@Trespa.com

Tel: +1-800-487-3772 Info.TopLab@Trespa.com

Tel: +86 (0)21 62881299 Info.TopLab@Trespa.com

#### VISIT US

#### TRESPA DESIGN CENTRE WEERT

Wetering 20 6002 SM Weert The Netherlands Tel: +31 (0) 495 458 845 TDC.Weert@Trespa.com www.trespa.com/tdc

#### TRESPA DESIGN CENTRE BARCELONA

Calle Ribera 5, 08003 Barcelona Spain Tel: +34 (0) 93 295 4193 TDC.Barcelona@Trespa.com www.trespa.com/tdc

#### TRESPA DESIGN CENTRE SANTIAGO

Eliodoro Yáñez 2831 Torre A - Local 1 Providencia, Santiago Chile Tel: +56 2 4069990 TDC.Santiago@Trespa.com www.trespa.com/tdc

#### **FOIIOW US**











These terms apply to the use of this document and such use automatically means that the other party agrees to these terms. The information provided by Trespa International B.V. ("Trespa") in this document is solely indicative. Trespa is unable to warrant the accuracy and completeness of this information. Trespa may change the information included in this document at any time and without further notice. Trespa's customers and third parties must ascertain that they have the most recent document (for the most recent version, please consult: www.trespa.com). No rights can be derived from the information provided; the use of the information is at the other party's risk and responsibility. Trespa does not warrant that the information in this document is suitable for the purpose for which it is consulted by the other party. This document does not contain any design, structural calculation, estimate or other warranty or representation that customers and third parties may rely on. This document does not guarantee any properties of Trespa products. Colours used in Trespa's communications (including but not limited to printed matter) and in samples of Trespa's products may differ from the colours of the Trespa products to be supplied. Samples are not intended for use in product tests and are not representative of characteristics of the Trespa

products. Trespa's products and samples are produced within the specified colour tolerances and the colours (of production batches) may differ, even if the same colour is used. The viewing angle also influences the colour perception. Metallics panels feature a surface whose colour appears to change based on the direction from which it is viewed. The specified colour stability and colour specifications relate only to the decorative surface of the Trespa products, not to the core material and samples of the Trespa products. Trespa products are delivered ex-works with straight, sawn sides. Customers and third parties must have a professional adviser inform them about (the suitability of) the Trespa products for all desired applications and about applicable laws and regulations. Trespa does not warrant the above The most recent version of the current delivery programme and the Material Properties Datasheet can be found at www.trespa.info. Only the information in the most recent and valid Material Property Datasheet should be used to select and provide advice regarding Trespa products. Trespa reserves the right to change (the specifications for) its products without prior notice.

Trespa is not liable (neither contractual nor non-contractual) for any damage arising from or related to the use of this document, except if and to the extent that such damage is the result of wilful misconduct or gross negligence on the part of Trespa and/or its management. The limitation of liability applies to all parties affiliated with Trespa, including but not limited to its officers, directors, employees, affiliated enterprises, suppliers, distributors, agents, and representatives.

All oral and written statements, offers, quotations, sales, supplies, deliveries and/or agreements and all related activities of Trespa are governed by the Trespa General Terms and Conditions of Sale (Algemene verkoopvoorwaarden Trespa International B.V.) filed with the Chamber of Commerce and Industry for Noord- en Midden-Limburg in Venlo (NL) on February 20th, 2015 under number 24270677, which can be found on and downloaded from the Trespa website, www.trespa.com/documentation. All oral and written statements, offers, quotations, sales, supplies, deliveries and/or agreements and all related work of Trespa North America, Ltd. are governed by the Trespa North America General Terms and Conditions of Sale, which can be found on and downloaded from the Trespa website www.trespa.com/documentation. A copy of these general conditions of sale will be provided free of

charge on request. All general terms and conditions other than the conditions mentioned above are dismissed and do not apply, regardless of whether such terms and conditions are referred to on requests for offers, offer confirmations, stationery and/or other documents of the other party, even if Trespa does not expressly object to such terms and conditions.

All intellectual property rights and other rights regarding the content of this document (including logos, text and photographs) are owned by Trespa and/or its licensors. Any use of the content of this document, including distribution, reproduction, disclosure, storage in an automated data file or the dispatch of such a file without Trespa's prior written consent is explicitly prohibited. \* Trespa, Meteon, Athlon, TopLab, TopLab<sup>PLUS</sup>, TopLab<sup>ECO-FIBRE</sup> TopLab<sup>VERTICAL</sup>, TopLab<sup>BASE</sup>, Virtuon, Izeon, Pura NFC, Volkern, Trespa Essentials and Mystic Metallics are registered trademarks of Trespa.

Should you have any questions or comments, please do not hesitate to contact Trespa.



BROCHURE CODE U4700 - DATE 06-2018

